

Web Design & Publishing

Lists and Tables

» Lists

» Ordered List

Ordered lists are numeric lists. They require using nested tags `` and ``

```
<ol>
  <li>Dogs</li>
  <li>Cats</li>
  <li>Bears</li>
</ol>
```

Appears like this in browser:

1. Dogs
2. Cats
3. Bears

Ordered lists have two attributes:

1. `type` numbers are the default, but you can use "A" for capital letters, "a" for lower case, "I" for uppercase Roman numerals and "i" for lowercase Roman numerals.

```
<ol type="i">
```

2. `start` insert the start value; "1" is default.

```
<ol start="0">
```

» Unordered List

Unordered lists bulleted lists, They require using nested tags `` and ``.

```
<ul>
  <li>Dogs</li>
  <li>Cats</li>
  <li>Bears</li>
</ul>
```

Appears like this in browser:

- Dogs
- Cats
- Bears

Unordered lists have one attribute:

1. `type` sets bullet shape (disc, circle, square).

```
<ul type="square">
```

» Tables

Use tables for data, not for formatting. Use nested tags `<table>`, `<th>` (table header), `<tr>` (table row), and `<td>` (table data)

Tables have four attributes:

1. `border` sets size of border.
`<table border="1">`
2. `bordercolor` for a solid border; `bordercolorright` and `bordercolorleft` for a shaded border.
`<table bordercolor="#f00">`
3. `width` sets amount of space it takes up on page. You can use pixels for a fixed width or % for a width as a percent of screen size.
`<table width="60%">`
4. `align` horizontally aligns the table.
`<table align="right">`

```
<table border="2" width="80%" align="center">
  <tr>
    <th>My favorite TV Shows</th>
    <th>My favorite Musicians</th>
  </tr>
  <tr>
    <td>Parks & Recreation</td>
    <td>Coldplay</td>
  </tr>
  <tr>
    <td>The IT Crowd</td>
    <td>Mumford & Sons</td>
  </tr>
  <tr>
    <td>Dr. Who</td>
    <td>Paco de Lucía</td>
  </tr>
</table>
```